

● PRINTER RUSH ●
(PTO ASSISTANCE)

Application :	Examiner :	GAU :
<u>59/889821</u>	<u>Meh TA</u>	<u>1638</u>
From:	Location: <input checked="" type="checkbox"/> IDC FMF FDC	Date: <u>11-9-05</u>
Tracking #: <u>EPM-</u> <u>09/889821</u>		Week Date: <u>9-19-05</u>
DOC CODE <input type="checkbox"/> 1449 <input type="checkbox"/> IDS <input type="checkbox"/> CLM <input type="checkbox"/> IIFW <input type="checkbox"/> SRFW <input checked="" type="checkbox"/> DRW <input type="checkbox"/> OATH <input type="checkbox"/> 312 <input type="checkbox"/> SPEC	DOC DATE <hr/> <hr/> <hr/> <hr/> <hr/> <u>7-18-01</u> <hr/> <hr/> <hr/>	MISCELLANEOUS <input type="checkbox"/> Continuing Data <input type="checkbox"/> Foreign Priority <input type="checkbox"/> Document Legibility <input type="checkbox"/> Fees <input type="checkbox"/> Other

[RUSH] MESSAGE: ATTN: Chief DRAFTsperson
Requesting new drawing sheets for
FIGS. 1A-04B (A1) - Lines through
them.

THANK You

[XRUSH] RESPONSE: _____

DRAWING CORRECTED

INITIALS: JK

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

09/889821

WO 00/42206

PCT/IL00/00029

1/3

P35S	Ω	NLS	T7 RNA Polymerase	NOS terminator
------	----------	-----	-------------------	----------------

Fig. 1A

PT7	Ω	GUS	T7 RNA Polymerase	NOS terminator
-----	----------	-----	-------------------	----------------

Fig. 1B

P35S	Ω	GUS	NOS terminator
------	----------	-----	----------------

Fig. 1C

09/889821

PCT/IL00/00029

WO 00/42206

2/3




Fig. 2

BEST AVAILABLE COPY




Fig. 3

09/889821

WO 00/42206

PCT/IL00/00029

3/3

35S T7 T7 35S
Gus Gus Gus Gus

Gus



T7 RNAP →



Fig. 4A

35S T7
GUS GUS

Act



Fig. 4B

BEST AVAILABLE COPY